DRTS®

Drip Research
Technology
Solutions

Irrigation Accessories

DRTS® | Drip Research Technology Solutions

Table of Contents

Thin Wall Pipe With Dripper..... 3-6

Strip Tape 7-9

Recommended Thin Wall Fittings..... 10-13

Lay Flat..... 14-15

Lay Flat Fittings..... 16-23

Fittings..... 24-35

Valves..... 36-39

Filters..... 40-48

DRTS®

Drip Research
Technology
Solutions

Thin Wall Pipe With Dripper

DRTS® | Drip Research Technology Solutions

THIN WALL WITH DRIPPER

16mm Diameter

Available dripper flow rate (LPH) : 1.0, 1.6, 2.0, 2.5

Wall Thickness : 6mil/0.15mm

P/N	DESCRIPTION	METERS PER COIL	PRICE (USD)
AC-DLF-16-6-15	16mm 6mil/0.15mm wall thickness, 15cm spacing	2500	
AC-DLF-16-6-20	16mm 6mil/0.15mm wall thickness, 20cm spacing	2500	
AC-DLF-16-6-25	16mm 6mil/0.15mm wall thickness, 25cm spacing	2500	
AC-DLF-16-6-30	16mm 6mil/0.15mm wall thickness, 30cm spacing	2500	
AC-DLF-16-6-33	16mm 6mil/0.15mm wall thickness, 33cm spacing	2500	
AC-DLF-16-6-40	16mm 6mil/0.15mm wall thickness, 40cm spacing	2500	
AC-DLF-16-6-45	16mm 6mil/0.15mm wall thickness, 45cm spacing	2500	
AC-DLF-16-6-50	16mm 6mil/0.15mm wall thickness, 50cm spacing	2500	

20' Container = 1.1 million meters | 40' Container = 2.2 million meters

Wall Thickness : 8mil/0.2mm

P/N	DESCRIPTION	METERS PER COIL	PRICE (USD)
AC-DLF-16-8-15	16mm 8mil/0.20mm wall thickness, 15cm spacing	2000	
AC-DLF-16-8-20	16mm 8mil/0.20mm wall thickness, 20cm spacing	2000	
AC-DLF-16-8-25	16mm 8mil/0.20mm wall thickness, 25cm spacing	2000	
AC-DLF-16-8-30	16mm 8mil/0.20mm wall thickness, 30cm spacing	2000	
AC-DLF-16-8-33	16mm 8mil/0.20mm wall thickness, 33cm spacing	2000	
AC-DLF-16-8-40	16mm 8mil/0.20mm wall thickness, 40cm spacing	2000	
AC-DLF-16-8-45	16mm 8mil/0.20mm wall thickness, 45cm spacing	2000	
AC-DLF-16-8-50	16mm 8mil/0.20mm wall thickness, 50cm spacing	2000	

20' Container = 880,000 meters | 40' Container = 1.76 million meters

Wall Thickness : 10mil/0.25mm

P/N	DESCRIPTION	METERS PER COIL	PRICE (USD)
AC-DLF-16-10-15	16mm 10mil/0.25mm wall thickness, 15cm spacing	1500	
AC-DLF-16-10-20	16mm 10mil/0.25mm wall thickness, 20cm spacing	1500	
AC-DLF-16-10-25	16mm 10mil/0.25mm wall thickness, 25cm spacing	1500	
AC-DLF-16-10-30	16mm 10mil/0.25mm wall thickness, 30cm spacing	1500	
AC-DLF-16-10-33	16mm 10mil/0.25mm wall thickness, 33cm spacing	1500	
AC-DLF-16-10-40	16mm 10mil/0.25mm wall thickness, 40cm spacing	1500	
AC-DLF-16-10-45	16mm 10mil/0.25mm wall thickness, 45cm spacing	1500	
AC-DLF-16-10-50	16mm 10mil/0.25mm wall thickness, 50cm spacing	1500	

20' Container = 660,000 meters | 40' Container = 1.32 million meters

DRTS® | Drip Research Technology Solutions

16mm Diameter

Available dripper flow rate (LPH) : 1.0, 1.6, 2.0, 2.5

Wall Thickness : 12mil/0.3mm

P/N	DESCRIPTION	METERS PER COIL	PRICE (USD)
AC-DLF-16-12-15	16mm 12mil/0.3mm wall thickness, 15cm spacing	1500	
AC-DLF-16-12-20	16mm 12mil/0.3mm wall thickness, 20cm spacing	1500	
AC-DLF-16-12-25	16mm 12mil/0.3mm wall thickness, 25cm spacing	1500	
AC-DLF-16-12-30	16mm 12mil/0.3mm wall thickness, 30cm spacing	1500	
AC-DLF-16-12-33	16mm 12mil/0.3mm wall thickness, 33cm spacing	1500	
AC-DLF-16-12-40	16mm 12mil/0.3mm wall thickness, 40cm spacing	1500	
AC-DLF-16-12-45	16mm 12mil/0.3mm wall thickness, 45cm spacing	1500	
AC-DLF-16-12-50	16mm 12mil/0.3mm wall thickness, 50cm spacing	1500	

20' Container = 660,000 meters | 40' Container = 1.32 million meters

Wall Thickness : 16mil/0.4mm

P/N	DESCRIPTION	METERS PER COIL	PRICE (USD)
AC-DLF-16-16-15	16mm 16mil/0.4mm wall thickness, 15cm spacing	1000	
AC-DLF-16-16-20	16mm 16mil/0.4mm wall thickness, 20cm spacing	1000	
AC-DLF-16-16-25	16mm 16mil/0.4mm wall thickness, 25cm spacing	1000	
AC-DLF-16-16-30	16mm 16mil/0.4mm wall thickness, 30cm spacing	1000	
AC-DLF-16-16-33	16mm 16mil/0.4mm wall thickness, 33cm spacing	1000	
AC-DLF-16-16-40	16mm 16mil/0.4mm wall thickness, 40cm spacing	1000	
AC-DLF-16-16-45	16mm 16mil/0.4mm wall thickness, 45cm spacing	1000	
AC-DLF-16-16-50	16mm 16mil/0.4mm wall thickness, 50cm spacing	1000	

20' Container = 440,000 meters | 40' Container = 880,000 meters

22mm Diameter

Available dripper flow rate (LPH) : 1.0, 1.6, 2.0, 2.5

Wall Thickness : 8mil/0.2mm

P/N	DESCRIPTION	METERS PER COIL	PRICE (USD)
AC-DLF-22-8-20	22mm 8mil/0.20mm wall thickness, 20cm spacing	1750	
AC-DLF-22-8-25	22mm 8mil/0.20mm wall thickness, 25cm spacing	1750	
AC-DLF-22-8-30	22mm 8mil/0.20mm wall thickness, 30cm spacing	1750	
AC-DLF-22-8-33	22mm 8mil/0.20mm wall thickness, 33cm spacing	1750	
AC-DLF-22-8-40	22mm 8mil/0.20mm wall thickness, 40cm spacing	1750	
AC-DLF-22-8-45	22mm 8mil/0.20mm wall thickness, 45cm spacing	1750	
AC-DLF-22-8-50	22mm 8mil/0.20mm wall thickness, 50cm spacing	1750	

20' Container = 700,000 meters | 40' Container = 1.54 million meters

DRTS® | Drip Research Technology Solutions

22mm Diameter

Available dripper flow rate (LPH) : 1.0, 1.6, 2.0, 2.5

Wall Thickness : 10mil/0.25mm

P/N	DESCRIPTION	METERS PER COIL	PRICE (USD)
AC-DLF-22-10-15	22mm 10mil/0.25mm wall thickness, 15cm spacing	1500	
AC-DLF-22-10-20	22mm 10mil/0.25mm wall thickness, 20cm spacing	1500	
AC-DLF-22-10-25	22mm 10mil/0.25mm wall thickness, 25cm spacing	1500	
AC-DLF-22-10-30	22mm 10mil/0.25mm wall thickness, 30cm spacing	1500	
AC-DLF-22-10-33	22mm 10mil/0.25mm wall thickness, 33cm spacing	1500	
AC-DLF-22-10-40	22mm 10mil/0.25mm wall thickness, 40cm spacing	1500	
AC-DLF-22-10-45	22mm 10mil/0.25mm wall thickness, 45cm spacing	1500	
AC-DLF-22-10-50	22mm 10mil/0.25mm wall thickness, 50cm spacing	1500	

20' Container = 600,000 meters | 40' Container = 1.32 million meters

Wall Thickness : 12mil/0.3mm

P/N	DESCRIPTION	METERS PER COIL	PRICE (USD)
AC-DLF-22-12-15	22mm 12mil/0.3mm wall thickness, 15cm spacing	1250	
AC-DLF-22-12-20	22mm 12mil/0.3mm wall thickness, 20cm spacing	1250	
AC-DLF-22-12-25	22mm 12mil/0.3mm wall thickness, 25cm spacing	1250	
AC-DLF-22-12-30	22mm 12mil/0.3mm wall thickness, 30cm spacing	1250	
AC-DLF-22-12-33	22mm 12mil/0.3mm wall thickness, 33cm spacing	1250	
AC-DLF-22-12-40	22mm 12mil/0.3mm wall thickness, 40cm spacing	1250	
AC-DLF-22-12-45	22mm 12mil/0.3mm wall thickness, 45cm spacing	1250	
AC-DLF-22-12-50	22mm 12mil/0.3mm wall thickness, 50cm spacing	1250	

20' Container = 500,000 meters | 40' Container = 1.1 million meters

Wall Thickness : 16MIL/0.4mm

P/N	DESCRIPTION	METERS PER COIL	PRICE (USD)
AC-DLF-22-16-15	22mm 16mil/0.4mm wall thickness, 15cm spacing	1000	
AC-DLF-22-16-20	22mm 16mil/0.4mm wall thickness, 20cm spacing	1000	
AC-DLF-22-16-25	22mm 16mil/0.4mm wall thickness, 25cm spacing	1000	
AC-DLF-22-16-30	22mm 16mil/0.4mm wall thickness, 30cm spacing	1000	
AC-DLF-22-16-33	22mm 16mil/0.4mm wall thickness, 33cm spacing	1000	
AC-DLF-22-16-40	22mm 16mil/0.4mm wall thickness, 40cm spacing	1000	
AC-DLF-22-16-45	22mm 16mil/0.4mm wall thickness, 45cm spacing	1000	
AC-DLF-22-16-50	22mm 16mil/0.4mm wall thickness, 50cm spacing	1000	

20' Container = 400,000 meters | 40' Container = 880,000 meters

DRTS®

Drip Research
Technology
Solutions

Strip Tape



DRTS® | Drip Research Technology Solutions

STRIP TAPE

16-22mm STRIP TAPE

Nominal Diameter	16mm-22mm			
Thickness	5mil / 0.125mm	6mil / 0.15mm	8mil / 0.2mm	10mil / 0.25mm
Nominal Flow Rate (LPH)	0.6 - 0.9- 1.2* LPH			
Spacing (CM)	10 - 20 - 30 cm			
Coil Length (16mm)	3900 mt	3000 mt	2500 mt	2200 mt
Coil Length (22mm)			1800 mt	1500 mt
Recommended filteration	150 mesh / 100 micron			

*Available also in 15cm spacing

FLOW RATE PRESSURE RELATION

Pressure (BAR)	Nominal Flow Rate (LPH)		
	0.6	**0.90**	**1.2**
0.25	0.39	0.55	0.7
0.4	0.48	0.70	0.8
0.55	0.55	0.80	1
0.7	0.6	0.90	1.2
0.85	0.68	1.00	1.3
1	0.73	1.09	1.4

16mm

P/N	W.T	Spacing	Coil Length (m)	PRICE/mt (EUR)
AC-STP-5-1610	0.125mm (5mil)	10cm	3900 Meters	
AC-STP-5-1620	0.125mm (5mil)	20cm	3900 Meters	
AC-STP-5-1630	0.125mm (5mil)	30cm	3900 Meters	
AC-STP-6-1610	0.15mm (6mil)	10cm	3000 Meters	
AC-STP-6-1620	0.15mm (6mil)	20cm	3000 Meters	
AC-STP-6-1630	0.15mm (6mil)	30cm	3000 Meters	
AC-STP-8-1610	0.2mm (8mil)	10cm	2500 Meters	
AC-STP-8-1620	0.2mm (8mil)	20cm	2500 Meters	
AC-STP-8-1630	0.2mm (8mil)	30cm	2500 Meters	
AC-STP-10-1610	0.25mm (10mil)	10cm	2200 Meters	
AC-STP-10-1620	0.25mm (10mil)	20cm	2200 Meters	
AC-STP-10-1630	0.25mm (10mil)	30cm	2200 Meters	

*Please mention required flow rate at the end of each part number

DRTS® | Drip Research Technology Solutions

22mm

P/N	W.T	Spacing	Coil Length (m)	PRICE/mt (EUR)
AC-STP-8-2210	0.2mm (8mil)	10cm	1800 Meters	
AC-STP-8-2220	0.2mm (8mil)	20cm	1800 Meters	
AC-STP-8-2230	0.2mm (8mil)	30cm	1800 Meters	
AC-STP-10-2210	0.25mm (10mil)	10cm	1500 Meters	
AC-STP-10-2220	0.25mm (10mil)	20cm	1500 Meters	
AC-STP-10-2230	0.25mm (10mil)	30cm	1500 Meters	

*Please mention required flow rate at the end of each part number

Shipping Information

	16mm				22mm	
	5mil	**6mil**	**8mil**	**10mil**	**8mil**	**10mil**
20' container	320*	400*	400*	400*	400*	400*
40' container	640*	800*	800*	800*	800*	800*

*coils

DRTS®

Drip Research
Technology
Solutions

Recommended Thin Wall Fittings



DRTS® | Drip Research Technology Solutions

RECOMMENDED THIN WALL FITTINGS

OFF TAKE CONNECTOR WITH RING FOR TAPE

	P/N	SIZE	PRICE (USD)
	AC-OTC-1000-16	16mm	
	AC-OTC-1002-22	22mm	

OFF TAKE CONNECTOR WITH NUT FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-OTN-1030-16	16mm	
	AC-OTN-1032-22	22mm	

OFF TAKE MALE THREADED CONNECTOR WITH RING FOR TAPE

	P/N	SIZE	PRICE (USD)
	AC-OTM-1100-16H	16mm x 1/2"	
	AC-OTM-1101-16Q	16mm x 3/4"	
	AC-OTM-1103-22	22mm x 3/4"	

OFF TAKE MALE THREADED CONNECTOR WITH NUT FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-OTM-1200-16H	16mm x 1/2"	
	AC-OTM-1201-16Q	16mm x 3/4"	
	AC-OTM-1203-22	22mm x 3/4"	

COUPLING WITH LOCKING RINGS FOR TAPE

	P/N	SIZE	PRICE (USD)
	AC-CPP-2000-16	16mm	
	AC-CPP-2002-22	22mm	

DRTS® | Drip Research Technology Solutions

RECOMMENDED THIN WALL FITTINGS

COUPLING WITH LOCKING NUT FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-CPP-2010-16	16mm	
	AC-CPP-2012-22	22mm	

BARBED COUPLING WITH LOCKING RING FOR TAPE

	P/N	SIZE	PRICE (USD)
	AC-CPB-2020-16	16mm	
	AC-CPB-2022-22	22mm	

OFF TAKE MINI VALVE FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-MVO-6000-16	16mm	
	AC-MVO-6002-22	22mm	

BARBED MINI VALVE WITH NUT FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-MVB-6020-16	16mm	
	AC-MVB-6022-22	22mm	

LOCK NUT MINI VALVE FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-MVL-6700-16	16mm x 16mm	
	AC-MVL-6702-22	20mm x 20mm	

DRTS® | Drip Research Technology Solutions

RECOMMENDED THIN WALL FITTINGS

MINI VALVE WITH LOCKING RINGS FOR TAPE

	P/N	SIZE	PRICE (USD)
	AC-MVR-6090-16	16mm	

OFF TAKE MINI VALVE WITH LOCKING RING FOR TAPE

	P/N	SIZE	PRICE (USD)
	AC-MVR-6080-16	16mm	

MALE THREADED BARBED MINI VALVE FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-MVT-6120-16H	16mm x 1/2"	
	AC-MVT-6122-16Q	16mm x 3/4"	

DRTS®

Drip Research
Technology
Solutions

Lay Flat

DRTS® Drip Research Technology Solutions

LAY FLAT HOSE

PRODUCT SPECIFICATIONS
• 3-Ply Polyester Yarn
• Environmently friendly raw materials
• UV Resistance for longer product life
• Does NOT Conainer: Carcinogenic DOP or Calcite
• Tolerance: ± 5%
• Working Temprature: -20°C to +70°C

LOW PRESSURE - RUBY



	P/N	I.D	SIZE	WALL-THICKNESS		WORKING PRESSURE		BURSTING PRESSURE		COIL LENGTH		WEIGHT	COIL WEIGHT		PRICE (USD)
		mm	inch	mm	mil	BAR	PSI	BAR	PSI	mt.	ft.	gr./mt.	kg	lbs	USD mt.
	AC-LFRB-30	77	3"	1.45	57	3	44	9	131	100	328	450	45	99.2	
	AC-LFRB-40	103	4"	1.45	57	3	44	9	131	100	328	600	60	132.2	

*All Prices are Ex-Works Turkey

LOW PRESSURE - BLUE

	P/N	I.D	SIZE	WALL-THICKNESS		WORKING PRESSURE		BURSTING PRESSURE		COIL LENGTH		WEIGHT	COIL WEIGHT		PRICE (USD)
		mm	inch	mm	mil	BAR	PSI	BAR	PSI	mt.	ft.	gr./mt.	kg	lbs	USD mt.
	AC-LFBL-20	52	2"	1.75	69	6	87	19	276	100	328	310	31	68.3	
	AC-LFBL-25	65	2.5"	1.78	71	6	87	18	261	100	328	370	37	81.6	
	AC-LFBL-30	77	3"	1.85	73	5	73	15	218	100	328	520	52	114.6	
	AC-LFBL-40	103	4"	2.05	81	4	58	12	174	100	328	720	72	158.7	
	AC-LFBL-50	128	5"	2.05	81	3	44	11	160	100	328	930	93	205	
	AC-LFBL-60	154	6"	2.2	87	3	44	10	145	100	328	1150	115	253.5	

*All Prices are Ex-Works Turkey

HIGH PRESSURE - GREEN

	P/N	I.D	SIZE	WALL-THICKNESS		WORKING PRESSURE		BURSTING PRESSURE		COIL LENGTH		WEIGHT	COIL WEIGHT		PRICE (USD)
		mm	inch	mm	mil	BAR	PSI	BAR	PSI	mt.	ft.	gr./mt.	kg	lbs	USD mt.
	AC-LFGR-20	52	2"	1.8	71	8	116	24	348	100	328	320	32	70.5	
	AC-LFGR-25	65	2.5"	1.85	73	8	116	23	334	100	328	380	38	83.8	
	AC-LFGR-30	77	3"	1.9	75	6	87	18	261	100	328	530	53	116.8	
	AC-LFGR-40	103	4"	2.12	83	6	87	15	218	100	328	88	80	176.4	
	AC-LFGR-50	128	5"	2.15	85	4	58	13	189	100	328	980	98	216	
	AC-LFGR-60	154	6"	2.25	89	4	58	12	174	100	328	1200	120	264.6	

*All Prices are Ex-Works Turkey

SIZE (IN)	NO. OF COILS PER PALLET	PALLET MEASUREMENTS	METER PER ROLL	20' CNTR	40' CNTR
2"	21	75 x 75 CM	1 ROLL/100 METERS	441 Coils / 44,100 Meters	774 Coils / 77,400 Meters
2.5"	17	75 x 75 CM	1 ROLL/100 METERS	357 Coils / 35,700 Meters	650 Coils / 65,000 Meters
3"	14	75 x 75 CM	1 ROLL/100 METERS	294 Coils / 29,400 Meters	470 Coils / 47,000 Meters
4"	11	75 x 75 CM	1 ROLL/100 METERS	231 Coils / 23,100 Meters	333 Coils / 33,300 Meters
5"	9	75 x 75 CM	1 ROLL/100 METERS	189 Coils / 18,900 Meters	258 Coils / 25,800 Meters
6"	7	75 x 75 CM	1 ROLL/100 METERS	147 Coils / 14,700 Meters	210 Coils / 21,000 Meters

*Qty per container may vary between the 3 product types.

DRTS®

Drip Research
Technology
Solutions

Lay Flat Fittings

DRTS® | Drip Research Technology Solutions

LAY FLAT FITTINGS

STRAIGHT COUPLING (6 BAR)

	P/N	SIZE	DIMENSION	BOX		PRICE (USD)
			D	QTY (pcs)	WEIGHT (kg)	
	AC-LFSC-73320	2"	2"	52	5.2	
	AC-LFSC-73325	2.5"	2.5"	37	5.5	
	AC-LFSC-73330	3"	3"	18	5.1	
	AC-LFSC-73340	4"	4"	11	5.4	
	AC-LFSC-73350	5"	5"	5	4.3	
	AC-LFSC-73360	6"	6"	2	2.6	

REDUCTION COUPLING (6 BAR)

	P/N	SIZE	DIMENSION		BOX		PRICE (USD)
			D		QTY (pcs)	WEIGHT (kg)	
	AC-LFRC-73422	2 ½"x2"	2 ½"	2"	41	5.3	
	AC-LFRC-73431	3"x2"	3"	2"	24	5.1	
	AC-LFRC-73432	3"x2 ½"	3"	2 ½"	22	5.1	
	AC-LFRC-73441	4"x2"	4"	2"	14	5	
	AC-LFRC-73442	4"x2 ½"	4"	2 ½"	14	5.2	
	AC-LFRC-73443	4"x3"	4"	3"	12	4.8	
	AC-LFRC-73454	5"x4"	5"	4"	6	4.7	
	AC-LFRC-73464	6"x4"	6"	4"	3	3.1	
	AC-LFRC-73465	6"x5"	6"	5"	3	3.3	

END PLUG (6 BAR)

	P/N	SIZE	DIMENSION	BOX		PRICE (USD)
			D	QTY (pcs)	WEIGHT (kg)	
	AC-LFEP-73120	2"	2"	100	6.7	
	AC-LFEP-73125	2 ½"	2 ½"	57	6.1	
	AC-LFEP-73130	3"	3"	33	6.1	
	AC-LFEP-73140	4"	4"	16	5.4	
	AC-LFEP-73150	5"	5"	10	5.8	
	AC-LFEP-73160	6"	6"	6	4.9	

DRTS® | Drip Research Technology Solutions

MALE ADAPTOR (6 BAR)

	P/N	SIZE	DIMENSION		BOX		PRICE (USD)
			D		QTY (pcs)	WEIGHT (kg)	
	AC-LFMA-73520	2"x2"	2"	2"	65	5.7	
	AC-LFMA-73521	2"x2 ½"	2"	2 ½"	55	6.8	
	AC-LFMA-73522	2 ½"x2"	2 ½"	2"	45	5.9	
	AC-LFMA-73523	2 ½"x2 ½"	2 ½"	2 ½"	38	5.7	
	AC-LFMA-73524	2 ½"x3"	2 ½"	3"	36	7.2	
	AC-LFMA-73525	2 ½"x4"	2 ½"	4"	20	5.5	
	AC-LFMA-73531	3"x2"	3"	2"	36	7.1	
	AC-LFMA-73532	3"x2 ½"	3"	2 ½"	27	5.8	
	AC-LFMA-73533	3"x3"	3"	3"	27	6.2	
	AC-LFMA-73534	3"x4"	3"	4"	20	6	
	AC-LFMA-73541	4"x2"	4"	2"	16	5.6	
	AC-LFMA-73542	4"x2 ½"	4"	2 ½"	16	5.7	
	AC-LFMA-73543	4"x3"	4"	3"	14	5.1	
	AC-LFMA-73544	4"x4"	4"	4"	12	4.9	
	AC-LFMA-73554	5"x4"	5"	4"	8	5.1	
	AC-LFMA-73555	5"x5"	5"	5"	6	4.3	
	AC-LFMA-73565	6"x5"	6"	5"	4	3.7	
	AC-LFMA-73566	6"x6"	6"	6"	4	3.7	

RUSTPROOF CLAMP

	P/N	SIZE	FIT FOR ø	PRICE (USD)
	AC-LFCL-74059	51-59 mm	2"	
	AC-LFCL-74072	63-72 mm	2 ½"	
	AC-LFCL-74084	76-84 mm	3"	
	AC-LFCL-74110	101-110 mm	4"	
	AC-LFCL-74135	127-135 mm	5"	
	AC-LFCL-74160	152-160 mm	6"	

DRTS® | Drip Research Technology Solutions

MALE ADAPTOR

	P/N	SIZE	BOX		BAG QTY	PRICE (USD)
			QTY (pcs)	WEIGHT (kg)		
	AC-LFMA-71155	2" x 2"	110	26	10	
	AC-LFMA-71165	2 ½" x 2"	72	26	6	
	AC-LFMA-71166	2 ½" x 2 ½"	66	24	6	
	AC-LFMA-71177	3" x 3"	40	23.2	4	
	AC-LFMA-71187	4" x 3"	20	20	4	
	AC-LFMA-71188	4" x 4"	20	20	4	
	AC-LFMA-71198	5" x 4"	16	25.2	2	
	AC-LFMA-71199	5" x 5"	16	25.8	0	
	AC-LFMA-71100	6" x 5"	16	26.3	0	

FEMALE ADAPTOR

	P/N	SIZE	BOX		BAG QTY	PRICE (USD)
			QTY (pcs)	WEIGHT (kg)		
	AC-LFFA-71255	2" x 2"	100	26.2	10	
	AC-LFFA-71266	2 ½" x 2 ½"	60	24.4	6	
	AC-LFFA-71277	3" x 3"	40	24.6	4	
	AC-LFFA-71288	4" x 4"	20	21.4	4	
	AC-LFFA-71298	5" x 4"	16	25.2	2	
	AC-LFFA-71299	5" x 5"	14	24	0	
	AC-LFFA-71200	6" x 5"	14	24.5	0	

COUPLING

	P/N	SIZE	BOX		BAG QTY	PRICE (USD)
			QTY (pcs)	WEIGHT (kg)		
	AC-LFCP-71355	2" x 2"	60	25	6	
	AC-LFCP-71366	2 ½" x 2 ½"	35	23	5	
	AC-LFCP-71377	3" x 3"	24	25	2	
	AC-LFCP-71388	4" x 4"	14	25.6	2	
	AC-LFCP-71399	5" x 5"	9	26.6	1	
	AC-LFCP-71300	6" x 6"	9	27.3	1	

DRTS® | Drip Research Technology Solutions

TEE

	P/N	SIZE	BOX		BAG QTY	PRICE (USD)
			QTY (pcs)	WEIGHT (kg)		
	AC-LFT-71455	2" x 2" x 2"	36	23.2	4	
	AC-LFT-71466	2 ½" x 2 ½" x 2 ½"	21	21.8	3	
	AC-LFT-71477	3" x 3" x 3"	14	22.8	1	
	AC-LFT-71488	4" x 4" x 4"	8	23	1	
	AC-LFT-71499	5" x 5" x 5"	4	19	1	
	AC-LFT-71400	6" x 6" x 6"	4	19.6	1	

MALE TEE

	P/N	SIZE	BOX		BAG QTY	PRICE (USD)
			QTY (pcs)	WEIGHT (kg)		
	AC-LFMT-71555	2" x 2" x 2"	48	23.6	4	
	AC-LFMT-71566	2 ½" x 2 ½" x 2 ½"	9	21.2	3	
	AC-LFMT-71577	3" x 3" x 3"	40	24	1	
	AC-LFMT-71588	4" x 4" x 4"	10	20.8	1	
	AC-LFMT-71598	5" x 4" x 5"	6	19.8	1	
	AC-LFMT-71599	5" x 5" x 5"	0	0	0	
	AC-LFMT-71500	6" x 5" x 6"	0	0	0	

FEMALE TEE

	P/N	SIZE	BOX		BAG QTY	PRICE (USD)
			QTY (pcs)	WEIGHT (kg)		
	AC-LFFT-71655	2" x 2" x 2"	40	21	4	
	AC-LFFT-71666	2 ½" x 2 ½" x 2 ½"	27	21.8	3	
	AC-LFFT-71677	3" x 3" x 3"	17	21.6	1	
	AC-LFFT-71688	4" x 4" x 4"	9	19	1	
	AC-LFFT-71698	5" x 4" x 5"	6	20.2	1	
	AC-LFFT-71699	5" x 5" x 5"	0	0	0	
	AC-LFFT-71600	6" x 5" x 6"	0	0	0	

DRTS® | Drip Research Technology Solutions

ELBOW

	P/N	SIZE	BOX		BAG QTY	PRICE (USD)
			QTY (pcs)	WEIGHT (kg)		
	AC-LFEL-71755	2" x 2"	64	28	4	
	AC-LFEL-71766	2 ½" x 2 ½"	36	24.8	4	
	AC-LFEL-71777	3" x 3"	20	22.4	2	
	AC-LFEL-71788	4" x 4"	11	21.2	1	
	AC-LFEL-71799	5" x 5"	6	19.2	1	
	AC-LFEL-71700	6" x 6"	6	19.7	1	

MALE ELBOW

	P/N	SIZE	BOX		BAG QTY	PRICE (USD)
			QTY (pcs)	WEIGHT (kg)		
	AC-LFME-71855	2" x 2"	84	24	4	
	AC-LFME-71866	2 ½" x 2 ½"	52	23	4	
	AC-LFME-71877	3" x 3"	30	21.2	2	
	AC-LFME-71888	4" x 4"	17	20.2	1	
	AC-LFME-71898	5" x 4"	12	21.4	1	
	AC-LFME-71899	5" x 5"	0	0	0	
	AC-LFME-71800	6" x 5"	0	0	0	

FEMALE ELBOW

	P/N	SIZE	BOX		BAG QTY	PRICE (USD)
			QTY (pcs)	WEIGHT (kg)		
	AC-LFFE-71955	2" x 2"	76	23.2	4	
	AC-LFFE-71966	2 ½" x 2 ½"	48	22.4	4	
	AC-LFFE-71977	3" x 3"	28	20.4	2	
	AC-LFFE-71988	4" x 4"	16	20	1	
	AC-LFFE-71998	5" x 4"	10	18.8	1	
	AC-LFFE-71999	5" x 5"	0	0	0	
	AC-LFFE-71900	6" x 5"	0	0	0	

DRTS® | Drip Research Technology Solutions

REDUCING TEE

	P/N	SIZE	BOX		BAG QTY	PRICE (USD)
			QTY (pcs)	WEIGHT (kg)		
	AC-LFRT-72065	2 ½" x 2" x 2 ½"	24	21.6	3	
	AC-LFRT-72076	3" x 2 ½" x 3"	16	23	1	
	AC-LFRT-72087	4" x 3" x 4"	0	0	1	
	AC-LFRT-72098	5" x 4" x 5"	0	0	1	
	AC-LFRT-72099	6" x 4" x 6"	0	0	1	

REDUCING COUPLING

	P/N	SIZE	BOX		BAG QTY	PRICE (USD)
			QTY (pcs)	WEIGHT (kg)		
	AC-LFRC-72165	2 ½" x 2"	48	25.6	6	
	AC-LFRC-72176	3" x 2 ½"	28	24.8	2	
	AC-LFRC-72187	4" x 3"	16	23.4	2	
	AC-LFRC-72198	5" x 4"	10	24.2	1	
	AC-LFRC-72199	6" x 5"	10	24.7	1	

END CAP

	P/N	SIZE	BOX		BAG QTY	PRICE (USD)
			QTY (pcs)	WEIGHT (kg)		
	AC-LFEC-72255	2"	120	27	12	
	AC-LFEC-72266	2 ½"	84	29.6	6	
	AC-LFEC-72277	3"	48	26.8	4	
	AC-LFEC-72288	4"	28	27	4	
	AC-LFEC-72299	5"	18	28	2	
	AC-LFEC-72200	6"	18	28.5	2	

DRTS® | Drip Research Technology Solutions

THREADED OFFTAKE NIPPLE

	P/N	SIZE	BOX		BAG QTY	PRICE (USD)
			QTY (pcs)	WEIGHT (kg)		
	AC-LFOT-72500	½"	1600	35.2	100	

CUTTER (PUNCH)

	P/N	SIZE	PRICE (USD)
	AC-LFCT-7514	14mm	
	AC-LFCT-7515	15mm	
	AC-LFCT-7516	16mm	
	AC-LFCT-7517	17mm	

DRTS®

Drip Research
Technology
Solutions

Fittings



DRTS® | Drip Research Technology Solutions

OFF TAKE CONNECTORS

OFF TAKE CONNECTOR WITH RING FOR TAPE

	P/N	SIZE	PRICE (USD)
	AC-OTC-1000-16	16mm	
	AC-OTC-1001-20	20mm	
	AC-OTC-1002-22	22mm	

OFF TAKE BARBED CONNECTOR FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-OTB-1010-16	16mm	
	AC-OTB-1011-20	20mm	

OFF TAKE BLINDING PLUG

	P/N	SIZE	PRICE (USD)
	AC-OTP-1020-16	16mm	

OFF TAKE CONNECTOR WITH NUT FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-OTN-1030-16	16mm	
	AC-OTN-1031-20	20mm	
	AC-OTN-1032-22	22mm	

OFF TAKE MALE THREADED CONNECTOR WITH RING FOR TAPE

	P/N	SIZE	PRICE (USD)
	AC-OTM-1100-16H	16mm x 1/2"	
	AC-OTM-1101-16Q	16mm x 3/4"	
	AC-OTM-1102-20	20mm x 3/4"	

DRTS® | Drip Research Technology Solutions

OFF TAKE CONNECTORS

OFF TAKE MALE THREADED CONNECTOR WITH NUT FOR PIPE & TAPE

P/N	SIZE	PRICE (USD)
AC-OTM-1200-16H	16mm x 1/2"	
AC-OTM-1201-16Q	16mm x 3/4"	
AC-OTM-1202-20	20mm x 3/4"	
AC-OTM-1203-22	22mm x 3/4"	

OFF TAKE MALE THREADED



P/N	SIZE	PRICE (USD)
AC-OTM-1300-20	20mm x 3/4"	

SELF SEALED OFF TAKE BARBED CONNECTOR FOR PIPE

P/N	SIZE	PRICE (USD)
AC-OTS-1400-16	16mm	
AC-OTS-1401-20	20mm	

SELF SEALED OFF TAKE WITH LOCKING RING FOR TAPE

P/N	SIZE	PRICE (USD)
AC-SSR-2003-16	16mm	
AC-SSR-2004-22	22mm	

LAY FLAT OFF TAKE WITH FEMALE THREADED NUT



P/N	SIZE	PRICE (USD)
AC-LFO-1500-13H	13mm x 1/2"	
AC-LFO-1501-13Q	13mm x 3/4"	
AC-LFO-1502-18H	18mm x 1/2"	
AC-LFO-1503-18Q	18mm x 3/4"	

DRTS® | Drip Research Technology Solutions

LAY FLAT OFF TAKE CONNECTORS

LAY FLAT OFF TAKE WITH MALE THREADED NUT



P/N	SIZE	PRICE (USD)
AC-LFO-1520-13Q	13mm x 3/4"	
AC-LFO-1521-18Q	18mm x 3/4"	

LAY FLAT OFF TAKE BOLT

P/N	SIZE	PRICE (USD)
AC-LFO-1540-13	13mm	
AC-LFO-1541-18	18mm	

LAY FLAT OFF TAKE FEMALE NUT



P/N	SIZE	PRICE (USD)
AC-LFO-1610-H	1/2"	
AC-LFO-1620-HQ	3/4"	

COUPLINGS

COUPLING WITH LOCKING RINGS FOR TAPE

P/N	SIZE	PRICE (USD)
AC-CPP-2000-16	16mm	
AC-CPP-2001-20	20mm	
AC-CPP-2002-22	22mm	

COUPLING WITH LOCKING NUT FOR PIPE & TAPE

P/N	SIZE	PRICE (USD)
AC-CPP-2010-16	16mm	
AC-CPP-2011-20	20mm	
AC-CPP-2012-22	22mm	

DRTS® | Drip Research Technology Solutions

COUPLINGS

BARBED COUPLING WITH LOCKING RING FOR TAPE

	P/N	SIZE	PRICE (USD)
	AC-CPB-2020-16	16mm	
	AC-CPB-2021-20	20mm	
	AC-CPB-2022-22	22mm	

BARBED COUPLING WITH NUT FOR PIPE TO PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-CPB-2030-16	16mm	
	AC-CPB-2031-20	20mm	
	AC-CPB-2032-22	22mm	

BARBED STRAIGHT COUPLING FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-CPB-2040-16	16mm	
	AC-CPB-2040-22	20mm	

MALE THREADED COUPLING

	P/N	SIZE	PRICE (USD)
	AC-CPM-2050-HH	1/2" - 1/2"	
	AC-CPM-2051-QQ	3/4" -3/4"	

BARBED 90° ELBOW COUPLING FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-CPE-2060-16	16 MM x 16 MM	
	AC-CPE-2061-20	20 MM x 20 MM	

DRTS® | Drip Research Technology Solutions

COUPLINGS

MALE THREADED BARBED 90° ELBOW COUPLING FOR PIPE

	P/N	SIZE	PRICE (USD) (USD)
	AC-CPE-2070-16H	16mm x 1/2"	
	AC-CPE-2071-16Q	16mm x 3/4"	
	AC-CPE-2072-20H	20mm x 1/2"	
	AC-CPE-2073-20Q	20mm x 1/4"	

BARBED TEE COUPLING FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-CPT-2080-16	16mm x 16mm x 16mm	
	AC-CPT-2081-20	20mm x 20mm x 20mm	

BARBED REDUCER TEE COUPLING FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-CPT-20-16-20	20mm x 16mm x 20mm	

SEALING RUBBERS

GROWED SEALING RUBBER FOR PVC-PE

	P/N	SIZE	PRICE (USD)
	AC-SLR-3000-16	16 MM	
	AC-SLR-3001-20	20 MM	

CONICAL GROWED SEALING RUBBER FOR PVC-PE

	P/N	SIZE	PRICE (USD)
	AC-SLR-3010-16	16mm	
	AC-SLR-3011-20	20mm	

DRTS® | Drip Research Technology Solutions

SEALING RUBBERS

STRAIGHT SEALING RUBBER FOR PVC-PE

	P/N	SIZE	PRICE (USD)
	AC-SLR-3020-16	16mm	
	AC-SLR-3021-20	20mm	

END PLUGS

BARBED END PLUG FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-EPB-4000-16	16mm	
	AC-EPB-4001-20	20mm	

END PLUG FOR TAPE

	P/N	SIZE	PRICE (USD)
	AC-EPT-4020-16	16mm	
	AC-EPT-4021-20	20mm	
	AC-EPT-4022-22	22mm	

GLASSES (8) TYPE END PLUG FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-EPG-4030-16	16mm	
	AC-EPG-4031-20	20mm	

DRTS® | Drip Research Technology Solutions

DISTRIBUTORS

FEMALE THREADER 2 WAY DISTRIBUTOR WITH NUT FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-DIS-5020-16Q	16 MM x 3/4"	
	AC-DIS-5021-16O	16 MM x 1"	

FEMALE THREADER 4 WAY DISTRIBUTOR WITH NUT FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-DIS-5040-16Q	16mm x 3/4"	
	AC-DIS-5041-16O	16mm x 1"	

FEMALE THREADER 2 WAY BARBED DISTRIBUTOR FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-DIS-5120-16O	16mm x 1"	

FEMALE THREADER 4 WAY BARBED DISTRIBUTOR FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-DIS-5140-16O	16mm x 1"	

MINI VALVES

OFF TAKE MINI VALVE FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-MVO-6000-16	16mm	
	AC-MVO-6001-20	20mm	
	AC-MVO-6002-22	22mm	
	AC-MVO-6003-16	16mm x 22mm	

DRTS® | Drip Research Technology Solutions

MINI VALVES

OFF TAKE MINI VALVE WITH LOCKING RING FOR TAPE

	P/N	SIZE	PRICE (USD)
	AC-MVR-6080-16	16mm	

BARBED OFF TAKE MINI VALVE FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-MVO-6010-16	16mm	
	AC-MVO-6011-22	20mm	

BARBED MINI VALVE WITH NUT FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-MVB-6020-16	16mm	
	AC-MVB-6021-20	20mm	
	AC-MVB-6022-22	22mm	

BARBED MINI VALVE FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-MVB-6030-16	16mm	
	AC-MVB-6031-20	20mm	

SELF SEALED BARBED OFF TAKE MINI VALVE FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-MVS-6040-16	16mm	

DRTS® | Drip Research Technology Solutions

MINI VALVES

SELF SEALED OFF TAKE MINI VALVE WITH NUT FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-MVS-6050-16	16mm	

DOUBLE NUT MINI VALVE FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-MVN-6060-16	16mm	
	AC-MVN-6061-22	22mm	

LOCKING RING MINI VALVE WITH NUT FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD) (USD)
	AC-MVN-6070-16	16mm	

MINI VALVE WITH LOCKING RINGS FOR TAPE

	P/N	SIZE	PRICE (USD) (USD)
	AC-MVR-6090-16	16mm	

MALE THREADED MINI VALVE WITH NUT FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-MVT-6100-16H	16mm x 1/2"	
	AC-MVT-6101-20Q	20mm x 3/4"	
	AC-MVT-6102-22Q	22mm x 3/4"	
	AC-MVT-6103-22H	22mm x 1/2"	

DRTS® | Drip Research Technology Solutions

MINI VALVES

MALE THREADED BARBED MINI VALVE FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-MVT-6120-16H	16mm x 1/2"	
	AC-MVT-6122-16Q	16mm x 3/4"	
	AC-MVT-6121-22H	22mm x 1/2"	
	AC-MVT-6123-22Q	22mm x 3/4"	

MALE THREADED MINI VALVE

	P/N	SIZE	PRICE (USD) (USD)
	AC-MVT-6200-16H	16mm x 1/2"	
	AC-MVT-6201-16Q	16mm x 3/4"	
	AC-MVT-6202-20Q	20mm x 3/4"	

LAY FLAT OFF TAKE MINI VALVE WITH NUT FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-MVL-6313-16	16mm	
	AC-MVL-6318-16	16mm	
	AC-MVL-6413-20	20mm	
	AC-MVL-6418-20	20mm	
	AC-MVL-6513-22	22mm	
	AC-MVL-6518-22	22mm	

LAY FLAT SPIRAL OFF TAKE MINI VALVE WITH NUT FOR PIPE & TAPE

	P/N	SIZE	PRICE (USD)
	AC-MVL-6600-16	16mm	
	AC-MVL-6601-20	20mm	
	AC-MVL-6602-22	22mm	

DRTS® | Drip Research Technology Solutions

MINI VALVES

LOCK NUT MINI VALVE FOR PIPE

	P/N	SIZE	PRICE (USD)
	AC-MVN-6700-16	16mm x 16mm	
	AC-MVN-6701-16	20mm x 16mm	
	AC-MVN-6702-20	20mm x 20mm	

DRTS®

Drip Research
Technology
Solutions

Valves



DRTS® | Drip Research Technology Solutions

VALVES

THREADED PLASTIC CONTROL VALVES

PN 10 (145 PSI) - PLASTIC

			INCH	1"	1½"	2"	2½"	3"R	3"
	P/N	DESCRIPTION	MM	32	40	50	65	80R	80
	AC-VLVP-00	BASIC VALVE PLASTIC	B						
	AC-VLVP-10	SOLENOID 24 VAC FLOW CONTROL	EL						
	AC-VLVP-15	SOLENOIND 9 VDC LATCH FLOW CONTROL	EL						
	AC-VLVP-20	PRESSURE REDUCING CONTROL VALVE	PR						
	AC-VLVP-25	SOLENOID CONTROLLED PRESSURE REDUCING VALVE	PREL						
	AC-VLVP-30	PRESSURE SUSTAINING (RELIEF) CONTROL VALVE	PS						
	AC-VLVP-50	FLOAT LEVEL CONTROL VALVE	FL						

*For orders please reference P/N+desired diameter.

FILTER BACKWASH HYDRAULIC

PN 10 (145 PSI) - GG25

	P/N	DESCRIPTION	MODEL	CONNECTION	EVACUATION	DIAMETER		PRICE (USD)
				INPUT/OUT		INCH	MM	
	AC-VLBT-22	FLUSHING CONTROL VALVE	GG25	THREADED	THREADED	2x2	50x50	
	AC-VLBT-22P	FLUSHING CONTROL VALVE	PLASTIC	THREADED	THREADED	2x2	50x50	
	AC-VLBF-32	FLUSHING CONTROL VALVE	GG25	THREADED	THREADED	2x2	50x50	
	AC-VLBF-32V	FLUSHING CONTROL VALVE	GG25	THREADED	THREADED	3x2	80x50	
	AC-VLBF-43	FLUSHING CONTROL VALVE	GG25	THREADED	THREADED	3x2	80x50	
	AC-VLBF-43V	FLUSHING CONTROL VALVE	GG25	THREADED	THREADED	4x3	100x80	
	AC-VLAD-2	2" MALE ADAPTORS-VICTAULIC-THREADED						
	AC-VLCP-2V	2" COUPLING VICTAULIC						
	AC-VLCP-3V	3" COUPLING VICTAULIC						
	AC-VLCP-4V	4" COUPLING VICTAULIC						

* For orders please reference P/N+desired diameter.

DRTS® | Drip Research Technology Solutions

THREADED CONTROL VALVES

PN 10 - 16 (145-235 PSI) - GG25

		INCH	1"	1½"	2"	2½"	3"
P/N	DESCRIPTION	MM	32	40	50	65	80
AC-VLVT-00	BASIC VALVE METAL THREADED	B					
AC-VLVT-10	SOLENOID CONTROLLED VALVE	EL/G					
AC-VLVT-20	PRESSURE REDUCING CONTROL VALVE	PR					
AC-VLVT-25	SOLENOID CONTROLLED PRESSURE REDUCING VALVE	PREL					
AC-VLVT-23	PRESSURE REDUCING AND SUSTAINING CONTROL VALVE	PRPS					
AC-VLVT-30	PRESSURE SUSTAINING CONTROL VALVE	PS					
AC-VLVT-31	QUICK RELIEF CONTROL VALVE	QR					
AC-VLVT-50	FLOAT LEVEL CONTROL VALVE	FL					

*For orders please reference P/N+desired diameter.

FLANGED CONTROL VALVES

PN 10 - 16 (145-235 PSI) - GG25

		INCH	2"	2½"	3"	4"	5"	6"	8"	10"	12"
P/N	DESCRIPTION	MM	50	65	80	100	125	150	200	250	300
AC-VLVF-00	BASIC VALVE METAL FLANGE	B									
AC-VLVF-10	SOLENOID CONTROLLED VALVE	EL/G									
AC-VLVF-20	PRESSURE REDUCING CONTROL VALVE	PR									
AC-VLVF-25	SOLENOID CONTROLLED PRESSURE REDUCING VALVE	PREL									
AC-VLVF-23	PRESSURE REDUCING AND SUSTAINING CONTROL VALVE	PRPS									
AC-VLVF-30	PRESSURE SUSTAINING CONTROL VALVE	PS									
AC-VLVF-31	QUICK RELIEF CONTROL VALVE	QR									
AC-VLVF-50	FLOAT LEVEL CONTROL VALVE	FL									

*For orders please reference P/N+desired diameter.

DRTS® | Drip Research Technology Solutions

PLASTIC AIR VALVES (PN16, 230 PSI)

KINETIC AIR VALVE	P/N	DESCRIPTION	PRICE (USD)
	AC-ARVL-1P	1" KINETIC AIR VALAVE-PLASTIC	
	AC-ARVL-2P	2" KINETIC AIR VALAVE-PLASTIC	

AUTOMATIC AIR VALVE	P/N	DESCRIPTION	PRICE (USD)
	AC-ARVL-1P	1" AUTOMATIC AIR VALVE-PLASTIC	
	AC-ARVL-2P	1" AUTOMATIC AIR VALVE-PLASTIC	

DRTS®

Drip Research
Technology
Solutions

Filters

DRTS® Drip Research Technology Solutions

FILTERS

PLASTIC FILTERS

MINI PLASTIC SCREEN FILTERS	P/N	DESCRIPTION	PRICE (USD)
	AC-MPS-¾	¾" Mini plastic screen filter	
	AC-MPS-1	1" Mini plastic screen filter	
	AC-MPS-15	1½" Mini plastic filter double wired screen (Helix)	
	AC-MPS-1¼	1¼" Mini plastic filter double wired screen (Helix)	
	AC-MPS-2	2" Mini plastic filter double wired sceen (Helix)	
	AC-MPD-¾	¾" Mini plastic disc filter	
	AC-MPD-1	1" Mini plastic disc filter	
	AC-MPD-15	1½" Mini plastic disc filter	
	AC-MPD-1¼	1¼" Mini plastic disc filter	
	AC-MPD-2	2" Mini plastic disc filter	

PLASTIC FILTERS (PLASTIC CLAMP)	P/N	DESCRIPTION	PRICE (USD)
	AC-PCD-2	2" Plastic disc filter (Helix)	
	AC-PCDS-2	2" Super plastic disc filter (Helix)	
	AC-PCD-25	2½" Plastic disc filter (Helix)	
	AC-PCDS-25	2½" Super plastic disc filter (Helix)	
	AC-PCD-3	3" Plastic disc filter(Helix)	
	AC-PCDS-3	3" Super plastic disc filter(Helix)	
	AC-PCS-2	2" Plastic screen filter(Helix)	
	AC-PCSS-2	2" Super plastic screen filter(Helix)	
	AC-PCS-25	2½" Plastic screen filter(Helix)	
	AC-PCSS-25	2½" Super plastic screen filter(Helix)	
	AC-PCS-3	3" Plastic screen filter(Helix)	
	AC-PCSS-3	3" Super plastic screen filter(Helix)	

ECONOMIC PLASTIC FILTERS	P/N	DESCRIPTION	PRICE (USD)
	AC-ECOS-2	2" Economic plastic screen filter (Helix)	
	AC-ECOD-2	2" Economic plastic disc filter	

DRTS® Drip Research Technology Solutions

PLASTIC FILTERS

PLASTIC FILTERS (CHROME CLAMP)	P/N	DESCRIPTION	PRICE (USD)
	AC-MCD-2	2" Plastic disc filter (Helix)	
	AC-MCDS-2	2" Super plastic disc filter (Helix)	
	AC-MCD-3	3" Plastic disc filter (Helix)	
	AC-MCDS-3	3" Super plastic disc filter (Helix)	
	AC-MCS-2	2" Plastic screen filter (Helix)	
	AC-MCSS-2	2" Super plastic screen filter (Helix)	
	AC-MCS-3	3" Plastic screen filter (Helix)	
	AC-MCSS-3	3" Super plastic screen filter (Helix)	
	AC-MCS-2SC	2" Plastic disk filter "Self Cleaning"	
	AC-MCS-3SC	3" Plastic disk filter "Self Cleaning"	

HORIZONTAL PLASTIC FILTERS	P/N	DESCRIPTION	PRICE (USD)
	AC-HPD-25	2½" Plastic disc filter	
	AC-HPDS-25	2½" Super plastic disc filter	
	AC-HPD-3	3" Plastic disc filter	
	AC-HPDS-3	3" Super plastic disc filter	
	AC-HPS-25	2½" Plastic screen filter (Helix)	
	AC-HPSS-25	2½" Super plastic screen filter (Helix)	
	AC-HPS-3	3" Plastic screen filter (Helix)	
	AC-HPSS-3	3" Super plastic screen filter (Helix)	

VACUUM PLASTIC FILTERS	P/N	DESCRIPTION	PRICE (USD)
	AC-VSF-2	2" Plastic screen filter "Vacuum Cleaner"	
	AC-VSFS-2	2" Super plastic screen filter "Vacuum Cleaner"	
	AC-VSF-25	2½" Plastic screen filter "Vacuum Cleaner"	
	AC-VSFS-25	2½" Super plastic screen filter "Vacuum Cleaner"	
	AC-VSF-3	3" Plastic screen filter "Vacuum Cleaner"	
	AC-VSFS-3	3" Super plastic screen filter "Vacuum Cleaner"	

DRTS® Drip Research Technology Solutions

PLASTIC FILTERS

DOUBLE PLASTIC FILTERS	P/N	DESCRIPTION	PRICE (USD)
	AC-DDP-3	3" Double plastic disc filter (Helix)	
	AC-DDPS-3	3" Super double plastic disc filter (Helix)	
	AC-DDP-4	4" Double plastic disc filter (Helix)	
	AC-DDPS-4	4" Super double plastic disc filter (Helix)	
	AC-DSP-3	3" Double plastic screen filter (Helix)	
	AC-DSPS-3	3" Super double plastic screen filter (Helix)	
	AC-DSP-4	4" Double plastic screen filter (Helix)	
	AC-DSPS-4	4" Super double plastic screen filter (Helix)	
	AC-DDP-4SC	4" Double plastic disc filter "Self Cleaning"	
	AC-DSP-4V	4" Double plastic screen filter "Vacuum Cleaner"	
	AC-DSPS-4V	4" Super Double plastic screen filter	

PLASTIC HYDROCYCLONE	P/N	DESCRIPTION	PRICE (USD)
	AC-HYP-2	2" Plastic Hydrocyclone	
	AC-HYP-25	2½" Plastic Hydrocyclone	
	AC-HYP-3	3" Plastic Hydrocyclone	
	AC-HYP-4	4"2 x 2½" Plastic Hydrocyclone	
	AC-HYP-5	5"2 X 3" Plastic Hydrocyclone	
	AC-HYP-6	6"3 X 3" Plastic Hydrocyclone	
	AC-HYP-8	8"4 X 3" Plastic Hydrocyclone	

PLASTIC FERTILIZER TANK	P/N	DESCRIPTION	PRICE (USD)
	AC-PFT-100	100 lt. Plastic Fertilizer Tank	
	AC-PFT-200	200 lt. Plastic Fertilizer Tank	

PLASTIC SAND MEDIA FILTER	P/N	DESCRIPTION	PRICE (USD)
	AC-PMF-2	2" Plastic Sand media filter (24")	
	AC-PMF-25	2½" Sand media filter (24")	
	AC-PMF-3	3" Sand media filter (24")	

* With diffusers

DRTS® | Drip Research Technology Solutions

PLASTIC FILTERS

PLASTIC CLAMPS	P/N	DESCRIPTION	PRICE (USD)
	AC-PCL-2	2" Plastic Clamps	
	AC-PCL-25	2½" Plastic Clamps	
	AC-PCL-3	3" Plastic Clamps	
	AC-PCL-4	4" Plastic Clamps	
	AC-PCL-5	5" Plastic Clamps	
	AC-PCL-6	6" Plastic Clamps	

METAL FILTERS

HORIZONTAL METAL FILTER	P/N	DESCRIPTION	PRICE (USD)
	AC-MHDS-2	2" Super horizontal disc filter (Dia=16,h=40)	
	AC-MHD-25	2 ½" Horizontal disc filter (Dia=22,h=40)	
	AC-MHDS-3	3" Super horizontal disc filter (Dia=22,h=51)	
	AC-MHD-4	4" Horizontal disc filter (Dia=22,h=62)	
	AC-MHS-2	2" Horizontal screen filter (Dia=16,h=25)(Helix)	
	AC-MHS-25	2½" Horizontal screen filter (Dia=16,h=37)(Helix)	
	AC-MHS-3	3" Horizontal screen filter (Dia=16,h=49)(Helix)	
	AC-MHS-4	4" Horizontal screen filter (Dia=22,h=61)	
	AC-MHS-6	6" Horizontal screen filter (Dia=26,h=100)	

VERTICAL METAL FILTERS	P/N	DESCRIPTION	PRICE (USD)
	AC-MVDS-2	2" Super angular disc (Dia=16,h=40)	
	AC-MVDS-25	2½" Super angular disc (Dia=22,h=40)	
	AC-MVDS-3	3" Super angular disc (Dia=22,h=51)	
	AC-MVD-4	4" Angular disc (Dia=22,h=61)	

DRTS® Drip Research Technology Solutions

METAL FILTERS

SEMI AUTOMATIC FILTERS	P/N	DESCRIPTION	CAPACITY m²/h	PRICE (USD)
	AC-SAV-5	5" Semi automatic filter "Vacuum Brush Cleaner"	140	
	AC-SAV-6	6" Semi automatic filter "Vacuum Brush Cleaner"	160	
	AC-SAVS-6	6" Super semi automatic filter "Vacuum Brush Cleaner"	220	
	AC-SAV-8	8" Semi automatic filter "Vacuum Brush Cleaner"	260	
	AC-SAVS-8	8" Super semi automatic filter "Vacuum Brush Cleaner"	340	
	AC-SAV-10	10" Semi automatic filter "Vacuum Brush Cleaner"	400	

DISC CARTRIDGE	P/N	DESCRIPTION	PRICE (USD)
	AC-CARD-2	2"-2 ½" Disc cartridge (Dia=13,5cm,h=40cm)	
	AC-CARD-3	3"- 4" Disc cartridge (Dia=13,5cm,h=51cm)	
	AC-CARD-4	4" Disc cartridge (Dia=13,5cm,h=61cm)	

SCREEN CARTIDGE	P/N	DESCRIPTION	PRICE (USD)
	AC-CARS-2	2" Screen cartridge (Dia=12cm,h=24cm)	
	AC-CARS-25	2½" Screen cartridge (Dia=12cm,h=36cm)	
	AC-CARS-3	3" Screen cartridge (Dia=12cm,h=48cm)	
	AC-CARS-4	4" Screen cartridge (Dia=12cm,h=60cm)	

VENTURY	P/N	DESCRIPTION	PRICE (USD)
	AC-VEN-¾	¾" Ventury	
	AC-VEN-1	1" Ventury	
	AC-VEN-15	1½" Ventury	
	AC-VEN-2	2" Ventury	

DRTS® | Drip Research Technology Solutions

METAL FILTERS

VERTICAL FERTILIZER TANK	P/N	DESCRIPTION	PRICE (USD)
	AC-MFTV-6	60 lt. Vertical fertilizing tank	
	AC-MFTV-10	100 lt. Vertical fertilizing tank	
	AC-MFTV-20	200 lt. Vertical fertilizing tank	

HORIZONTAL FERTILIZER TANK	P/N	DESCRIPTION	PRICE (USD)
	AC-MFTH-10	100 lt.Horizontal fertilizing tank	
	AC-MFTH-20	200 lt.Horizontal fertilizing tank	
	AC-MFTH-35	350 lt.Horizontal fertilizing tank	

HYDROCYCLONE	P/N	DESCRIPTION	PRICE (USD)
	AC-HYM-2	2" Hydrocyclone	
	AC-HYM-3	3" Hydrocyclone	
	AC-HYMS-4	4" Super Hydrocyclone	
	AC-HYM-5	5" Hydrocyclone	
	AC-HYM-6	6" Hydrocyclone	

SAND MEDIA FILTER	P/N	DESCRIPTION	PRICE (USD)
	AC-MMD-2	2" Sand media filter (18")	
	AC-MMD-25	2½" Sand media filter (24")	
	AC-MMD-3	3" Sand media filter (24")	
	AC-MMD-4	4" Sand media filter (24")	
	AC-MMD-31	3" Sand media filter (31")	
	AC-MMD-32	3" Sand media filter (36")	
	AC-MMD-41	4" Sand media filter (36")	
	AC-MMD-42	4" Sand media filter (48")	

* With diffusers

SAND MEDIA FILTER	P/N	DESCRIPTION	PRICE (USD)
	AC-MMM-2	2" Sand media filter (18")	
	AC-MMM-25	2½" Sand media filter (24")	
	AC-MMM-3	3" Sand media filter (24")	
	AC-MMM-4	4" Sand media filter (24")	
	AC-MMM-31	3" Sand media filter (31")	
	AC-MMM-32	3" Sand media filter (36")	
	AC-MMM-41	4" Sand media filter (36")	
	AC-MMM-42	4" Sand media filter (48")	

* With mushrooms

DRTS® | Drip Research Technology Solutions

CARBON STEEL SELF CLEANING FILTERS

	P/N	DESCRIPTION (Hydrolic Control)	CAPACITY m³/h	AREA cm²	PRICE (USD)
	AC-VDF-2S	2" Short Hydrolic self cleaning filter (Vertical)	25	658	
	AC-VDF-25S	2½" Short Hydrolic self cleaning filter (Vertical)	35	658	
	AC-VDF-2	2" Hydrolic self cleaning filter (Vertical)	40	1317	
	AC-VDF-25	2½" Hydrolic self cleaning filter (Vertical)	50	1317	
	AC-VDF-3	3" Hydrolic self cleaning filter (Vertical)	55	1317	
	AC-VDFS-3	3" Super hydrolic self cleaning filter (Vertical)	70	1975	
	AC-VDF-4	4" Hydrolic self cleaning filter (Vertical)	100	1975	

	P/N	DESCRIPTION (Hydrolic Control)	CAPACITY m³/h	AREA cm²	PRICE (USD)
	AC-VHF-4	4" Hydrolic self cleaning filter (Vertical)	120	2634	
	AC-VHFS-4	4" Super hydrolic self cleaning filter (Vertical)	140	3951	
	AC-VHF-5	5" Hydrolic self cleaning filter (Vertical)	150	3951	
	AC-VHFS-5	5" Super hydrolic self cleaning filter (Vertical)	160	5268	
	AC-VHF-6	6" Hydrolic self cleaning filter (Vertical)	180	5268	

	P/N	DESCRIPTION (Hydrolic Control)	CAPACITY m³/h	AREA cm²	PRICE (USD)
	AC-HDF-4	4" Hydrolic self cleaning filter	120	2634	
	AC-HDFS-4	4" Super hydrolic self cleaning filter	140	3951	
	AC-HDF-5	5" Hydrolic self cleaning filter	150	3951	
	AC-HDFS-5	5" Super hydrolic self cleaning filter	160	5268	
	AC-HDF-6	6" Hydrolic self cleaning filter	180	5268	
	AC-HDFS-6	6" Super hydrolic self cleaning filter	220	7902	
	AC-HDF-8	8" Hydrolic self cleaning filter	320	7902	
	AC-HDF-10	10" Hydrolic self cleaning filter	380	7902	

ELECTRONIC CONTROLS OF VDF AND VHF MODEL FILTERS AT ADDITIONAL COST

DRTS® Drip Research Technology Solutions

CARBON STEEL SELF CLEANING FILTERS

	P/N	DESCRIPTION (Electronic Control)	CAPACITY m³/h	AREA cm²	PRICE (USD)
	AC-EFF-4	4" Hydrolic self cleaning filter	120	2634	
	AC-EFFS-4	4" Super hydrolic self cleaning filter	140	3951	
	AC-EFF-5	5" Hydrolic self cleaning filter	150	3951	
	AC-EFFS-5	5" Super hydrolic self cleaning filter	160	5268	
	AC-EFF-6	6" Hydrolic self cleaning filter	180	5268	
	AC-EFFS-6	6" Super hydrolic self cleaning filter	220	7902	
	AC-EFF-8	8" Hydrolic self cleaning filter	320	7902	
	AC-EFF-10	10" Hydrolic self cleaning filter	380	7902	

	P/N	DESCRIPTION (Reductor Control)	CAPACITY m³/h	AREA cm²	PRICE (USD)
	AC-RFF-4	4" Self cleaning filter	120	2634	
	AC-RFFS-4	4" Super self cleaning filter	140	3951	
	AC-RFF-5	5" Self cleaning filter	150	3951	
	AC-RFFS-5	5" Super self cleaning filter	160	5268	
	AC-RFF-6	6" Self cleaning filter	180	5268	
	AC-RFFS-6	6" Super self cleaning filter	220	7902	
	AC-RFF-8	8" Self cleaning filter	320	7902	
	AC-RFF-10	10" Self cleaning filter	380	7902	